



FOR JOURNALISTS AND INDEPENDENT REVIEWERS

Media and Independent Review Brief

LifeTrajectory is an independent educational longevity product. This brief states what the product does, how its free range is constructed, what has not been validated, and how to test it critically.



THE STORY IN ONE QUESTION

Can a life-expectancy calculator help people think about modifiable factors without pretending to predict an individual death date?

LifeTrajectory converts questionnaire answers into a deterministic, rule-based educational model value, a factor map and optional Action Plans. AI is used only for optional educational summaries and explanations after the core calculation.

CORE CALCULATION Deterministic and rule-based AI does not generate the point value.	CURRENT MODEL LifeTrajectory LE 2026.08.1 life-expectancy-2026-08.1
BUSINESS MODEL Free range, optional unlock \$7.70 USD or EUR 7.00. No subscription.	VALIDATION STATUS Not clinically validated The complete rule set lacks independent clinical validation.

FOUNDER Andreas Holzhäuser Independent founder and self-taught product builder based in Germany. Verified LinkedIn profile: linkedin.com/in/andreas-holzhäuser-51a457300	PRESS CONTACT support@lifetrajectory.live Complimentary press access creates no expectation of favorable coverage.
--	---

How the free person-specific range is constructed

The application first calculates a point value E, rounded to one decimal place. It then changes one selected answer at a time to a neighbouring documented response category and recalculates the same profile. Unknown measurements are retested against documented plausible alternatives. Calculation numbers do not affect the range.

LOCAL RETEST	PER FACTOR	MARGINS	BOUNDS
d_i = recalculated - E One answer changed at a time.	Keep largest movement Retained separately by direction.	m = sqrt(2.5^2 + sum d_i²) Includes disclosed structure allowance.	age <= L <= E <= U <= 110 Rounded to one decimal place.

WHY TWO PEOPLE CAN RECEIVE DIFFERENT WIDTHS

The band expands according to the movements produced by that person's answers. An unknown health measurement may add more sensitivity than a stable known value, and the point value need not sit at the midpoint.

WHAT THE BAND DOES NOT MEAN

The 2.5-year allowance and response perturbations have not yet been calibrated against independent longitudinal outcomes. The range therefore expresses internal model sensitivity, not probability, statistical coverage, observed prediction error or external validation.

SEPARATE MEDICAL BOUNDARY

Neither the sensitivity range nor the paid point value predicts an individual death date. LifeTrajectory provides educational information and does not provide medical advice, diagnosis, treatment or emergency guidance.

[Read the complete public method and limitations](#)

What a journalist can inspect independently

1	Free product journey Complete the questionnaire without an account or payment.
2	Method and sources Inspect factors, rules, version history, range formula and limitations.
3	Privacy and health data Review consent, service providers, retention, deletion and analytics boundaries.
4	Claim boundaries Compare the product wording with the published educational and medical limitations.
5	Fictional full-result access Request a demonstration calculation without submitting personal health information.

PUBLIC LIMITATIONS TO CHECK

- The current model starts from a ceiling of 110 modelled years.
- Country selects checkout currency but does not calibrate the score to a country life table.
- Population associations and simplified rules cannot determine individual lifespan.
- Related factors may overlap and should not be read as causally independent.
- Not every coefficient has its own peer-reviewed citation mapping.
- The complete rule set has not been independently clinically validated.

DOWNLOADABLE ASSETS

Press page	Color logo
Social image	Founder portrait
Calculator screenshot	

Press contact: support@lifetrajectory.live | Updated August 17, 2026 | Model reviewed August 17, 2026